

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

### \* 1 Identification

· **Product identifier**

· **Trade name: Precision Calibration Gas Mixture**

· **Product number:** G-6715

· **Relevant identified uses of the substance or mixture and uses advised against**

Used for calibration of gas measuring devices. Not suitable for human consumption.

· **Product description** Calibration gas mixture consisting of Silane and Nitrogen.

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Gasco Affiliates, LLC

320 Scarlett Blvd.

Oldsmar, FL 34677

TELEPHONE NUMBER: (800) 910-0051

FAX NUMBER: (866) 755-8920

E-MAIL: info@gascogas.com

· **Emergency telephone number:**

Inside the US: 1-800-424-9300 (CHEMTREC, 24 hours)

Outside the US: 1-703-527-3887 (CHEMTREC, 24 hours)

### \* 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flam. Gas 1      H220 Extremely flammable gas.

Pyrophoric Gas      Catches fire spontaneously if exposed to air.



GHS04 Gas cylinder

Press. Gas      H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

STOT SE 2      H371 May cause damage to organs.



GHS07

Acute Tox. 4      H332 Harmful if inhaled.

Simple Asphyxiant      May displace oxygen and cause rapid suffocation.

· **Label elements**

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture****Hazard pictograms**

GHS02 GHS04 GHS07 GHS08

**Signal word** Danger**Hazard-determining components of labeling:**

Nitrogen

**Hazard statements**

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

Harmful if inhaled.

May cause damage to organs.

Catches fire spontaneously if exposed to air.

May displace oxygen and cause rapid suffocation.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Eliminate all ignition sources if safe to do so.

IF exposed or concerned: Call a poison center/doctor.

Store locked up.

Protect from sunlight. Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Unknown acute toxicity:**

100 percent of the mixture consists of ingredient(s) of unknown toxicity.

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 4

Reactivity = 0

**HMS-ratings (scale 0 - 4)**

Health = 2

Fire = 4

Reactivity = 0

**Hazard(s) not otherwise classified (HNOC):** None known**\* 3 Composition/information on ingredients****Chemical characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture**

<b>· Dangerous Components:</b>		
CAS: 7803-62-5	Silane ⚠ Flam. Gas 1, H220; Pyrophoric Gas; ⚠ Acute Tox. 4, H332; Press. Gas, H280	0.0001 - 1%
CAS: 7727-37-9 RTECS: QW 9700000	Nitrogen ⚠ Press. Gas, H280; ⚠ STOT SE 2, H371; Simple Asphyxiant	99 - 99.9999%

**\* 4 First-aid measures****· Description of first aid measures****· General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**· After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness, place patient securely on side position for transportation.

**· After skin contact:**

Generally the product does not irritate the skin.

In cases of contact with liquified material, frostbite may occur. Immerse frostbite in cool-warm water and seek medical attention.

Wash with soap and water.

If skin irritation occurs, consult a doctor.

**· After eye contact:**

Not anticipated under normal use.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:**

Not a normal route of entry.

If swallowed and symptoms occur, consult a doctor.

**· Information for doctor:****· Most important symptoms and effects, both acute and delayed:** No further relevant information available.**· Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**\* 5 Fire-fighting measures****· Extinguishing media****· Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

Use water spray to cool fire-exposed containers.

CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**· Special hazards arising from the substance or mixture**

Closed containers may explode when exposed to extreme heat.

If incinerated, product will release the following toxic fumes: Oxides of Silicon and Nitrogen (NO<sub>x</sub>).

**· Advice for firefighters**

Certain variations of this gas mixture are spontaneously flammable when exposed to air. Use caution.

**· Protective equipment:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

**\* 6 Accidental release measures****· Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

### Trade name: Precision Calibration Gas Mixture

- Keep away from ignition sources
- Treat any fumes as toxic.
- Keep people at a distance and stay upwind.
- Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Inform authorities in case of gas release.
- **Methods and material for containment and cleaning up:**
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Dispose of the collected material according to regulations.
- **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### \* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Be aware of any signs of dizziness or fatigue; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms due to the potential for oxygen deficiency (simple asphyxiation). Do not attempt to adjust, repair or in any other way modify the cylinders containing this gas mixture. If there is a malfunction or another type of operational problem, contact nearest distributor immediately.
- **Information about protection against explosions and fires:**
- Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.
- Do not cut, grind or weld on container that contains or contained product.
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities** Store away from strong oxidizing agents.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
- Store in a cool location.
- Cylinders should be firmly secured to prevent falling or being knocked over. Cylinders must be protected from the environment, and preferably kept at room temperature. Cylinders should be stored in dry, well-ventilated areas, away from sources of heat, ignition, and direct sunlight. Protect cylinders against physical damage. Full and empty cylinders should be segregated. Use a "first-on, first-out" inventory system to prevent full containers from being stored for long periods of time.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
- Keep receptacle tightly sealed.
- Do not gas tight seal receptacle.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

### Trade name: Precision Calibration Gas Mixture

- **Control parameters**

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

- **Components with occupational exposure limits:**

#### 7803-62-5 Silane

REL	Long-term value: 7 mg/m <sup>3</sup> , 5 ppm
TLV	Long-term value: 6.6 mg/m <sup>3</sup> , 5 ppm

#### 7727-37-9 Nitrogen

TLV	withdrawn TLV, see App. F; simple asphyxiant
-----	--

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Breathing equipment:**



Suitable respiratory protective device recommended.

- **Protection of hands:** Not required.

- **Eye protection:** Not necessary under normal conditions.

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Gaseous

**Color:** Clear, colorless

- **Odor:** Choking

- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Catches fire spontaneously if exposed to air.  
Flammable.

- **Ignition temperature:**

**Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture**

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure:** Not determined.
- **Density:**
  - Relative density** Not determined.
  - Vapor density** Not determined.
  - Evaporation rate** Not applicable.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.0 %
- **Other information** No further relevant information available.

**\* 10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Heat, flame and ignition sources.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** Silicon Oxides and Nitrogen Oxides (NOx).

**\* 11 Toxicological information**

- **Information on toxicological effects** The toxicity of this product is unknown.
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
  - Group 1 - Carcinogenic to humans
  - Group 2A - Probably carcinogenic to humans
  - Group 2B - Possibly carcinogenic to humans
  - Group 3 - Not classifiable as to its carcinogenicity to humans
  - Group 4 - Probably not carcinogenic to humans

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture**

None of the ingredients are listed.

**· NTP (National Toxicology Program)**

None of the ingredients are listed.

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

**\* 12 Ecological information**

- **Toxicity** The hazards for the aquatic environment are unknown.
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**\* 13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Release all residual gas pressure in a well ventilated area. Verify the cylinder is completely empty (0 PSIG). Remove or cover any hazard labels. Return empty cylinder for recycling.  
NOTE: Check with the local waste authority before placing any gas cylinder into waste container for pickup. GASCO encourages the consumer to return all cylinders.
- **Waste disposal key:**  
The U.S. EPA has not published waste disposal numbers for this product's components.
- **Uncleaned packagings:**
- **Recommendation:** Return cylinder and unused product to supplier.

**\* 14 Transport information**

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1954
- **UN proper shipping name**
- **DOT** Compressed gas, flammable, n.o.s.
- **ADR** UN1954 Compressed gas, flammable, n.o.s.
- **IMDG, IATA** COMPRESSED GAS, FLAMMABLE, N.O.S.
- **Transport hazard class(es)**
- **DOT**
- **Class** 2 Gases

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture**· **Label** 2.1/2.2· **ADR**

· **Class** 2 1F Gases  
 · **Label** 2.1+2.2

· **IMDG**

· **Class** 2 Gases  
 · **Label** 2.1/2.2

· **IATA**

· **Class** 2 Gases  
 · **Label** 2.1 (2.2)  
 · **Packing group**  
 · **DOT, ADR, IMDG, IATA** Non-Regulated Material  
 · **Environmental hazards:** Not applicable.  
 · **Special precautions for user** Warning: Gases  
 · **Danger code (Kemler):** 23  
 · **EMS Number:** F-D,S-U  
 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**  
 · **Quantity limitations** On passenger aircraft/rail: Forbidden  
 On cargo aircraft only: 150 kg

· **ADR**

· **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity

· **IMDG**

· **Limited quantities (LQ)** 0  
 · **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity

· **UN "Model Regulation":** UN1954, Compressed gas, flammable, n.o.s., 2.1 (2.2)

(Contd. on page 9)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture****\* 15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· <b>Section 355 (extremely hazardous substances):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Section 313 (Specific toxic chemical listings):</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>TSCA (Toxic Substances Control Act):</b>
---

All ingredients are listed.
-----------------------------

· <b>California Proposition 65</b>
------------------------------------

· <b>Chemicals known to cause cancer:</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause reproductive toxicity for females:</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause reproductive toxicity for males:</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>Chemicals known to cause developmental toxicity:</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>Carcinogenic categories</b>
----------------------------------

· <b>EPA (Environmental Protection Agency)</b>
--

None of the ingredients are listed.
-------------------------------------

· <b>TLV (Threshold Limit Value established by ACGIH)</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>
---

None of the ingredients are listed.
-------------------------------------

· <b>GHS label elements</b>
-----------------------------

The substance is classified and labeled according to the Globally Harmonized System (GHS).
--

· <b>Hazard pictograms</b>
----------------------------



GHS02   GHS04   GHS07   GHS08

· <b>Signal word</b> Danger
-----------------------------

· <b>Hazard-determining components of labeling:</b>
---

Nitrogen
----------

· <b>Hazard statements</b>
----------------------------

Extremely flammable gas.
--------------------------

Contains gas under pressure; may explode if heated.
---

Harmful if inhaled.
---------------------

May cause damage to organs.
-----------------------------

Catches fire spontaneously if exposed to air.
---

May displace oxygen and cause rapid suffocation.
--

(Contd. on page 10)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/29/2015

Reviewed on 05/29/2015

**Trade name: Precision Calibration Gas Mixture****Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.  
 Wash thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Call a poison center/doctor if you feel unwell.  
 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
 Eliminate all ignition sources if safe to do so.  
 IF exposed or concerned: Call a poison center/doctor.  
 Store locked up.  
 Protect from sunlight. Store in a well-ventilated place.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

**State Right to Know**

CAS: 7727-37-9	Nitrogen	99 - 99.9999%
RTECS: QW 9700000	⚠ Press. Gas, H280; ⚠ STOT SE 2, H371; Simple Asphyxiant	
CAS: 7803-62-5	Silane	0.0001 - 1%
	⚠ Flam. Gas 1, H220; Pyrophoric Gas; ⚠ Acute Tox. 4, H332; Press. Gas, H280	

All ingredients are listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**\* 16 Other information****Relevant phrases**

Gasco Affiliates, LLC, makes not express or implied warranties, guarantees or representations regarding the product of the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Gasco Affiliates, LLC shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use of reliance upon the information herein.

**Date of preparation / last revision** 05/29/2015 / -

**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 Flam. Gas 1: Flammable gases, Hazard Category 1  
 Press. Gas: Gases under pressure: Compressed gas  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 STOT SE 2: Specific target organ toxicity - Single exposure, Hazard Category 2

**\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106